

Table 6-5 Summary of Observation Well Water-Level Data
EAST CONTRACT
Brightwater Conveyance System

Boring No.	Ground Surface Elevation (ft)	Bottom of Screen Depth (ft) ^a	Bottom of Screen Elevation (ft)	Minimum Groundwater Elevation (ft)	Maximum Groundwater Elevation (ft)
BRIGHTWATER TUNNEL 1					
E-332	127.5	25.6	101.9	122.47	124.51
E-334	189.5	112.0	77.5	182.12	186.30
E-335	302.7	192.0	110.7	189.30	191.20
E-336	368.4	300.0	68.4	195.14	203.59
E-337	366.5	296.0	70.5	192.69	194.61
E-341	246.2	195.0	51.2	200.34	205.37
E-343	201.9	69.0	132.9	195.13	196.14
E-347	210.9	57.0	153.9	210.28	212.59
E-349	232.3	75.0	157.3	217.96	219.39
E-517	127.0	61.6	65.4	124.40	124.88
E-518	257.2	53.5	203.7	236.83	237.59
E-519	248.7	38.9	209.8	241.00	246.61
NORTH CREEK PORTAL SITE					
P41-04	129.6	132.6	(3.0)	124.24	130.58
W41-01	129.9	145.5	(15.7)	124.83	125.22
NORTH CREEK CONNECTOR					
M-621	130.2	40.0	90.2	122.89	124.93
M-622	129.2	66.6	62.6	123.05	123.48
M-623	127.7	63.0	64.7	122.20	123.01
M-624	128.4	63.6	64.8	121.45	122.00
M-625	128.7	60.0	68.7	119.94	120.80
TREATMENT PLANT PORTAL SITE					
P46-01	250.4	42.0	208.4	243.83	245.17
P46-02	258.1	31.6	226.5	246.04	251.73
P46-03	258.6	77.1	181.5	244.20	245.17
EAST CONTRACT OFF-ALIGNMENT					
E-126	129.8	30.0	99.8	122.88	124.02
E-129	355.8	285.0	70.8	224.08	226.30
E-130	321.5	160.0	161.5	242.50	242.50

Notes:

a) The length of the screen is typically 10 feet.

Table 6-5 Summary of Observation Well Water-Level Data
CENTRAL CONTRACT
Brightwater Conveyance System

Boring No.	Ground Surface Elevation (ft)	Bottom of Screen Depth (ft) ^a	Bottom of Screen Elevation (ft)	Minimum Groundwater Elevation (ft)	Maximum Groundwater Elevation (ft)
BRIGHTWATER TUNNEL 2					
E-121	364.9	281.0	83.9	212.52	221.08
E-123	318.0	126.0	192.0	234.48	236.21
E-219	361.1	239.0	122.1	211.49	214.20
E-220	330.0	243.0	87.0	211.88	214.69
E-224	128.3	44.0	84.3	124.62	126.57
E-321	265.0	136.0	129.0	166.47	179.77
E-324	344.6	242.0	102.6	211.92	215.54
E-326	267.1	180.0	87.1	224.24	226.39
E-328	384.1	267.7	116.4	221.50	230.47
E-329	365.5	278.0	87.5	192.76	230.87
E-330	275.0	219.6	55.4	159.19	161.51
E-331	135.0	35.0	100.0	124.85	127.83
BRIGHTWATER TUNNEL 3					
E-111	393.0	353.0	40.0	263.08	271.66
E-112	311.8	95.0	216.8	314.70	320.74
E-114	392.5	190.0	202.5	338.95	352.52
E-115A	620.3	405.0	215.3	346.40	367.60
E-116	327.4	243.5	83.9	221.30	225.40
E-117	367.4	282.5	84.9	230.31	232.09
E-118	206.6	97.0	109.6	205.87	211.65
E-120	162.3	132.5	29.8	161.91	171.15
E-214	418.0	220.0	198.0	340.19	352.88
E-216	394.7	222.0	172.7	234.52	247.71
E-217	418.8	290.0	128.8	237.88	250.27
E-218	159.6	88.5	71.1	163.89	175.06
E-305	443.4	237.0	206.4	341.63	352.91
E-306	497.6	304.7	192.9	344.63	356.85
E-307	607.0	412.0	195.0	338.11	365.14
E-308	613.2	380.0	233.2	339.88	362.22
E-309	589.1	320.0	269.1	339.63	371.59
E-312	354.4	225.5	128.9	225.60	233.11
E-313	418.3	314.1	104.2	237.06	239.14
E-314	292.5	205.0	87.5	229.58	231.14
E-506	374.3	170.0	204.3	368.88	368.88
E-510	385.2	269.8	115.4	235.72	236.00
MW- 7	309.3	265.0	44.3	308.90	308.90
TW-201	617.5	473.0	144.5	334.40	342.45
TW-202	604.0	475.0	129.0	339.28	342.65
TW-202A	605.4	482.0	123.4	338.11	341.75
TW-203	509.4	330.0	179.4	328.50	356.43
NORTH KENMORE PORTAL SITE					
P44-01	186.2	145.0	41.2	162.34	165.61
P44-02	179.1	89.6	89.5	165.64	177.68
P44-03	156.7	73.6	83.1	163.95	167.74

Table 6-5 Summary of Observation Well Water-Level Data
CENTRAL CONTRACT
Brightwater Conveyance System

Boring No.	Ground Surface Elevation (ft)	Bottom of Screen Depth (ft) ^a	Bottom of Screen Elevation (ft)	Minimum Groundwater Elevation (ft)	Maximum Groundwater Elevation (ft)
SWAMP CREEK CONNECTOR					
M-11	148.4	17.1	131.3	141.37	142.71
M-13	144.7	19.6	125.1	139.47	140.38
M-15	141.4	23.6	117.8	140.13	141.19
BALLINGER WAY PORTAL SITE					
HB-1	406.4	24.5	381.9	384.47	387.18
HB-2	407.9	23.5	384.4	384.92	387.13
HB-3	409.7	21.0	388.7	388.94	388.94
HB-7	415.0	33.0	382.0	385.96	386.21
HB-8	410.2	28.0	382.2	385.22	385.37
HB-9	405.7	28.0	377.7	383.58	383.74
P5-01	405.0	171.6	233.4	351.73	354.03
P5-04	406.0	167.0	239.0	351.96	351.99
CENTRAL CONTACT OFF-ALIGNMENT					
E-362	154.9	90.0	64.9	137.34	139.81
E-363	158.5	95.5	63.0	132.78	135.62
E-364	161.2	90.0	71.2	157.29	158.69
MW-17	138.3	98.0	40.3	134.40	134.40
N-153	129.6	89.0	40.6	118.56	120.27
N-253	134.0	48.0	86.0	116.66	117.15
N-254	131.1	34.0	97.1	115.30	116.35
N-255	152.7	77.0	75.7	136.93	138.07
N-257	159.3	97.5	61.8	159.03	159.33
N-425	207.1	111.0	96.1	175.55	181.80
N-426	166.0	81.0	85.0	160.61	163.70
N-427	145.2	67.4	77.8	141.87	145.18
N-428	152.3	75.0	77.3	122.69	128.28
N-429	149.4	70.0	79.4	120.42	123.45
N-430	130.6	40.0	90.6	119.09	121.05
P41-01	172.0	95.0	77.0	164.92	171.97

Notes:

a) The length of the screen is typically 10 feet.

Table 6-5 Summary of Observation Well Water-Level Data
WEST CONTRACT
Brightwater Conveyance System

Boring No.	Ground Surface Elevation (ft)	Bottom of Screen Depth (ft) ^a	Bottom of Screen Elevation (ft)	Minimum Groundwater Elevation (ft)	Maximum Groundwater Elevation (ft)
BRIGHTWATER TUNNEL 4					
E-101	131.2	131.0	0.2	97.19	104.43
E-102	291.2	195.0	96.2	155.44	156.59
E-103	404.3	340.0	64.3	168.58	187.43
E-106	581.9	429.0	152.9	191.23	201.43
E-108	453.1	270.0	183.1	312.69	314.87
E-109	395.0	221.0	174.0	263.45	271.72
E-110	444.7	200.0	244.7	334.68	345.71
E-201	260.6	235.0	25.6	101.53	104.76
E-202	399.1	330.0	69.1	122.18	123.80
E-203	393.2	123.0	270.2	354.69	364.17
E-205	506.1	270.0	236.1	371.37	384.28
E-206	566.1	396.0	170.1	235.37	236.31
E-207	508.5	381.0	127.5	330.17	333.33
E-208	451.0	242.0	209.0	305.92	318.37
E-209	430.1	272.0	158.1	269.59	271.19
E-211	413.4	191.0	222.4	363.22	364.42
E-403	378.1	265.0	113.1	157.37	162.57
E-404	440.7	305.0	135.7	161.82	163.66
E-405	393.0	302.0	91.0	162.16	176.86
E-406	513.4	408.0	105.4	165.21	166.81
E-414	439.7	254.3	185.4	332.17	341.32
MW- 4	483.3	424.0	59.3	169.30	170.80
MW- 5	401.3	352.0	49.3	235.10	243.30
MW- 6	410.3	360.0	50.3	249.40	252.30
POINT WELLS PORTAL SITE AND MARINE OUTFALL CONNECTOR					
M-631	108.6	29.6	79.0	98.83	102.22
P19-01	110.5	61.8	48.7	102.26	109.96
P19-02	109.0	59.6	49.4	97.60	105.47
P19-03	108.8	58.2	50.6	99.22	104.53
P19-04	111.0	79.6	31.4	102.03	104.25
P19-06	110.5	84.6	25.9	102.08	103.35

Notes:

a) The length of the screen is typically 10 feet.